



90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-301	2000


90° LED SPACER SUPPORT

Ø3mm LED 90° PC

3



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
LED-301A	Ø3.4	2000
LED-301(B)	Ø3.3	1000

90° LED LED SPACER SUPPORT

Ø3 mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-312	2000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-313	2000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-314	2000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-316	2000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-325	1000

LED HOLDER

Ø3mm. LED



- ◆ MATERIAL: ABS
- ◆ FLAME CLASS: 94HB/94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED3-21	2000


90° LED

SPACER SUPPORT

Ø3mm 3PIN LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-319	1000


90° LED SPACER SUPPORT

Ø3mm 3PIN LED 90

3




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-343	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
LED-502	4.95	5.2	2000
LED-502S	5.0	4.9	

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED1L-2.5	2000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-504	1000

90° LED SPACER SUPPORT

Ø5mm LED 90°



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: TRANSPARENT
- ◆ UNIT: mm




PART NO	PACKAGE
LED-505	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-528	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



P.C.B LED PIN
Ø0.8~Ø1.0
2.54
MOUNTING HOLES


PART NO	PACKAGE
LED-542	1000

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LED-501	1000


3

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-503	1000

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°




- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-535	500

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-305	1000

90° LED SPACER SUPPORT



Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
LED-306	2.1	4.4	1000
LED-306(A)	1.5	4.3	




PART NO	PACKAGE
LED-306(B)	1000

90° LED SPACER SUPPORT


Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	PACKAGE
LED-307	3.3	1000
LED-307(A)	3.2	




PART NO	PACKAGE
LED-308	1000


3

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-317	1000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-322	1000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-323	1000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-324	1000

90° LED SPACER SUPPORT

Ø3 mm 3 PIN LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-310	1000

90° LED SPACER SUPPORT

Ø4mm 3PIN LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-342	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-525	1000

90° LED SPACER SUPPORT

LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-521	1000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LED-330	1000


3

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	PACKAGE
LED-331	1000

90° LED SPACER SUPPORT

Ø3mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES


PART NO	PACKAGE
LED-340	1000

90° LED SPACER SUPPORT

LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-341	1000

90° LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-6301	2000

90° LED LED SPACER SUPPORT

Ø3 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-6302	2000

90° LED SPACER SUPPORT

Ø5 mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-6501	2000

LED SPACER SUPPORT

5X2 LED 10




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED101	500

90° LED SPACER SUPPORT

Ø3mm PIN LED 90°




- ◆ MATERIAL: NYLON 66(UL)/ABS(UL)
- ◆ FLAME CLASS : 94HB/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	B	PACKAGE
LEJ-4	4.0	6.0	1000
LEJ-5	5.0	7.0	
LEJ-6	6.0	8.0	
LEJ-7	7.0	9.0	
LEJ-8	8.0	10.0	
LEJ-13	13.0	15.0	

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2/94V-0




PART NO	PACKAGE
LEJ-4S	1000

LEJN-4為底部無定位腳


PART NO	PACKAGE
LEJN-4	1000

90° LED SPACER SUPPORT

Ø3mm PIN LED 90°



- ◆ MATERIAL: PC+ABS(UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEJT-4	1000

90° LED SPACER SUPPORT

Ø3mm 3 PIN LED 90°




- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEJ3-5	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-301	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-302	1000

90° LED SPACER SUPPORT

Ø3mm 3PIN LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	ØA	PACKAGE
LEK-303	4.1	1000
LEK-303L	4.25	

90° LED SPACER SUPPORT

LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-311	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LEK-525	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC




- ◆ MATERIAL: POM (UL)
- ◆ FLAME CLASS : 94HB/94V-2
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-526	1000

90° LED SPACER SUPPORT

Ø3mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-3111	1000

90° LED SPACER SUPPORT

Ø3mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
LEK-304	1.0	6.4	1000
LEK-310	2.0	6.35	

90° LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94-0
- ◆ COLOR: NATURAL
- ◆ UNIT: mm
- ◆ (P.A.T)




MOUNTING HOLES


PART NO	PACKAGE
LEK54-17	1000

90° LED SPACER SUPPORT

Ø3mm 3PIN LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	PACKAGE
LEK-312	1000

90° LED LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	PACKAGE
LEK-507	1000

LED SPACER SUPPORT

Ø5mm LED 67° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	A	B	PACKAGE
LEK-509	3.0	7.0	1000
LEK-531	7.0	10.3	

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LEK-502	1000


3

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	PACKAGE
LEK-516	2000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES


PART NO	PACKAGE
LEK-517	1000

90° LED SPACER SUPPORT

Ø5mm 2- PIN LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LEK-528	1000



LED SPACER SUPPORT

Ø5mm LED PC

高度一致，有定位腳，不傾斜。




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-533	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-534	1000


LED SPACER SUPPORT

Ø5mm LED PC

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-539	1000

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-501	1000

3

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-503	1000

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	B	C	D	E	PACKAGE
LEK503-7	7.0	2.5	10.75	6.1	2.8	1000
LEK503-18	18.0	3.1	21.75	5.9	2.6	

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-505	1000

90° LED SPACER SUPPORT

Ø5mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-506	1000

90° LED SPACER SUPPORT

Ø5mm 3PIN LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-508	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-316	2000

90° LED SPACER SUPPORT

Ø3mm LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-307	1000


3

90° LED SPACER SUPPORT

Ø3mm LED 90° PC




- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-323	1000

90° LED SPACER SUPPORT

Ø3mm 3PIN LED 90°




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-327	1000

90° LED SPACER SUPPORT

Ø3mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-325	1000

90° LED SPACER SUPPORT

Ø5mm LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PART NO	PACKAGE
LEK-512	1000



MOUNTING HOLES


PART NO	PACKAGE
LEK-515	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	PACKAGE
LEK-331	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LEK-314	1000


3

90° LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-320	1000

90° LED SPACER SUPPORT


Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-330	1000




PART NO	PACKAGE
LEK-340	1000

90° LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LEK-518	1000

90° LED SPACER SUPPORT

LED 90° PC




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-520	1000

90° LED SPACER SUPPORT

LED 90° PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-315	1000

LED SPACER SUPPORT

Ø5mm LED 72° PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	PACKAGE
LEK-513	2000

3

LED SPACER SUPPORT

Ø5mm LED PC


- ◆ MATERIAL: ABS (UL)
- ◆ FLAME CLASS:94HB/94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
LEK-530	1000

LED SPACER SUPPORT

- ◆ MATERIAL: ABS (UL)
- ◆ FLAME CLASS:94HB/94V-0
- ◆ COLOR:NATURAL
- ◆ UNIT:mm





PART NO	PACKAGE
LEDA-2	1000

LED SPACER SUPPORT

Ø3mm LED PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm





PART NO	PACKAGE
LEDA-4	1000

LED SPACER SUPPORT

Ø3mm LED PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDA-5	1000

LED SPACER SUPPORT

Ø3mm LED PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	PACKAGE
LEDA-6	1000

LED SPACER SUPPORT

LED 80.5° PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
LEDA-15	1000



3

LED SPACER SUPPORT

Ø3mm LED PC



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	A	B	PACKAGE
LEDA-17			1000
LEDA-17-1	5.0	2.0	

OPTICAL LENS HOLDER

- ◆ MATERIAL: NYLON 66 (UL)+15%GF
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
PLT130T	1000

90° LED SPACER SUPPORT

LED 90° PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
LED1L-5	5.0		2000
LED1L-6	6.0	3.0	
LED1L-7	7.0	3.0	
LED1L-8	8.0	3.0	1000
LED1L-9	9.0	3.0	
LED1L-10	10.0	2.5	


90° LED LED SPACER SUPPORT

LED 90° PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	A	B	PACKAGE
LEKH-3	3.0	2.9	1000
LEKH-6	6.0	2.5	
LEKH-7	7.0	2.5	
LEKH-9	9.0	2.9	
LEKH-10	10.0	2.9	





PART NO	PACKAGE
LEKH-4.5	1000

90° LED SPACER SUPPORT

LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: NATURAL
- ◆ UNIT: mm






PART NO	PACKAGE
LEKH-6301	1000

90° LED SPACER SUPPORT

Ø3mm LED 90° PC

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm



◆ FOR 3PIN LED

PART NO	PACKAGE
LEAK-17.5	1000


PART NO	PACKAGE
LEAK3-17.5	1000

3

90° LED SPACER SUPPORT


Ø3mm LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm



◆ 專利品 (P.A.T)

PART NO	PACKAGE
LH-330	1000




PART NO	PACKAGE
KLH-330	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
KLH-331	1000

90° LED SPACER SUPPORT


Ø3mm LED 90°

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



◆ (P.A.T)


PART NO	PACKAGE
LH-340	1000




PART NO	PACKAGE
KLH-340	1000

90° LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
KLH-341	1000


3

90° LED LED SPACER SUPPORT

Ø3mm LED 90°



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
KLH-342	1000