




5

- ★ SNAP BUSHING
- ★ GROMMET
- ★ HOLE PLUGS
- ★ STRAIN RELIEF BUSHING
- ★ CABLE TIES
- ★ HANDLE



SNAP BUSHING

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLE

PART NO	A	B	C	D	CHASSIS THICKNESS	PACKAGE
312-3	8.0	9.5	5.2	8.2	0.8~1.8	1000
375-4	9.5	12.0	6.6	10.3	0.8~3.3	
0811	11.1	13.6	8.4	10.3	0.8~3.3	
0813	13.0	15.1	9.8	10.3	0.8~3.3	
1216	16.0	18.2	12.8	10.3	0.8~3.3	

SNAP BUSHING

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLE

PART NO	A	B	C	D	CHASSIS THICKNESS	PACKAGE
NB-1217	17.5	20.0	12.7	10.3	0.8~3.3	200
NB-1419	19.0	21.5	14.3	11.3	0.8~3.3	
NB-1722	22.2	25.1	18.6	11.2	0.8~3.3	100
NB-1922	22.2	23.8	19.0	6.3	0.8~1.6	
NB-1925	25.4	27.8	19.4	10.8	0.8~3.3	
★ NB-2428	28.0	31.5	24.1	11.3	1.0~3.3	200
NB-2430	30.1	34.0	24.5	11.7	0.8~3.3	
NB-2535	35.0	37.8	25.8	11.3	0.8~3.5	
★ NB-2935	35.0	37.8	29.7	11.3	0.8~3.5	
NB-2634	34.2	38.0	26.2	11.5	1.0~3.1	
NB-3034	34.2	38.0	30.4	11.5	1.0~3.1	
NB-3338	38.0	41.2	33.3	11.6	1.0~3.3	

SNAP BUSHING

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLE


PART NO	A	B	C	D	CHASSIS THICKNESS	PACKAGE
NB-4150	50.8	53.8	41.8	11.4	0.8~3.2	100
★ NB-4450	50.8	53.8	44.3	11.4	0.8~3.2	
NB-4757	57.1	63.0	47.3	18.1	2.0~6.35	
NB-5063	63.5	67.5	50.5	18.1	2.0~6.35	
★ NB-5563	63.5	67.5	55.5	18.1	2.0~6.35	

SNAP BUSHING

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm
- ◆ 採開口式量法



MOUNTING HOLE





THICKNESS 0.8~3.3


PART NO	A	B	C	D	PACKAGE
0813C	12.7	15.0	9.7	9.8	1000
1216C	15.9	18.4	12.8	10.4	
1419C	19.0	20.7	15.1	10.4	

SNAP BUSHING

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm
- ◆ 採開口式量法



MOUNTING HOLE





THICKNESS E




PART NO	A	B	C	D	E	PACKAGE	UL
NB-09	9.5	12.4	7.6	6.0	0.8~1.2	1000	UL
NB-12	12.7	16.8	10.8	7.3	0.8~1.2		
NB-16	15.9	20.3	14.1	7.3	0.8~1.0		
NB-19	19.0	22.5	16.5	7.3	0.8~1.0	500	UL
NB-22	22.0	26.0	20.0	7.3	0.8~1.0		
NB-25	25.4	28.6	22.0	7.9	0.8~1.6		

SNAP BUSHING

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm
- ◆ 採開口式量法



MOUNTING HOLE



THICKNESS 0.8~1.0


PART NO	A	B	C	D	PACKAGE
NB-07A	7.0	10.4	6.0	4.8	1000
NB-12A	12.7	16.2	10.8	5.2	
NB-16A	16.0	19.3	13.0	5.2	
NB-19A	19.0	23.0	15.6	5.5	500
NB-21A	21.0	25.0	19.0	5.6	
NB-22A	22.0	25.8	19.3	5.5	
NB-23A	23.0	26.4	20.4	5.5	
NB-24A	24.0	27.0	20.8	5.3	
NB-27A	27.0	34.6	27.0	6.0	250
NB-29A	29.0	34.0	26.3	7.0	500
NB-30A	30.0	36.25	28.0	7.0	
NB-32A	32.0	36.9	30.0	6.7	

SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm

CHASSIS Ø22
THICKNESS 0.6~0.8




PART NO	PACKAGE
NB-22T	500

SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm

CHASSIS ØA
THICKNESS 0.6~1.6





PART NO	A	PACKAGE
NB-25T	Ø25.4	500
NB-25TS	Ø25.0	500

SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE
THICKNESS 0.8~1.2

PART NO	A	B	C	D	PACKAGE
NB-27C	27.0	34.6	27.0	6.0	500
NB-29C	29.0	34.6	27.0	7.0	
NB-32C	32.0	36.9	30.0	6.7	

SNAP BUSHING




- ◆ MATERIAL: NYLON 66 (UL)/POM
- ◆ FLAME CLASS: 94V-2/94HB
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm





MOUNTING HOLE

PART NO	PACKAGE
NC-28A	500

SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm
- ◆ 採開口式量法




CHASSIS ØE
THICKNESS: F

PART NO	A	B	C	D	E	F	PACKAGE
SC-1925S	26.8	29.0	0.9	4.4	25.4	0.8~1.0	250
SC-1925A	26.8	29.0	1.1	10.3	25.4	0.8~3.0	250
SC-1319A	20.0	22.6	1.0	8.75	19.0	0.8~3.2	500

SNAP BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm






CHASSIS Ø15.9
THICKNESS 3.2MAX

PART NO	PACKAGE
SC-1216	1000

SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm



MOUNTING HOLE
THICKNESS:F




PART NO	A	B	C	D	E	F	PACKAGE
NBR-3025	34.0	26.7	6.5	30.5	25.0	0.8~1.5	1000
NBR-3725	41.5	32.2	14.3	37.0	25.0	1.2~3.0	500
NBR-5030S	54.2	44.9	7.5	50.0	30.0	0.8~1.6	100
NBR-5030	54.2	44.9	14.3	50.0	30.0	1.2~3.0	
NBR-8054	84.0	74.7	14.3	80.0	54.0	1.2~3.0	50

5

SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm





MOUNTING HOLE
THICKNESS 0.8~2.5

PART NO	PACKAGE
NBS-6423	100

GROMMET



- ◆ MATERIAL:POM (UL)
- ◆ FLAME CLASS:94HB
- ◆ COLOR:NATURAL
- ◆ UNIT:mm






SECTION A-A

PART NO	PACKAGE
010406	1000



GROMMET




- ◆ MATERIAL:NBR/RUBBER/
SILICON RUBBER
- ◆ COLOR:BLACK
- ◆ UNIT:mm





MOUNTING HOLE





GM-16





GM-17




GM-35





GM-38.GM-46




GM-39




GM-40.GM-44.GM-55.
GM-60.GM-65




GM-45




GM-49




GM-53



GM-64



GM-68




GM-69

PART NO	A	B	C	D	E	PACKAGE
GM-1	8.0	4.8	3.2	1.6	6.4	2000
GM-1A	9.5	6.4	4.0	1.6	6.4	
GM-2	10.8	8.0	4.5	1.6	4.5	1000
GM-3	14.4	9.5	6.3	1.6	7.0	
GM-3A	14.2	11.0	8.0	1.6	4.8	
GM-4	17.5	12.7	9.5	1.6	6.8	
GM-5	22.0	17.5	14.2	1.6	4.8	
GM-6	22.0	19.0	16.0	1.6	5.5	500
GM-6A	25.0	19.5	18.0	1.6	6.0	
GM-7	31.4	25.2	18.5	1.6	8.0	250
GM-8	19.5	14.0	6.0	1.0	7.0	
GM-9	15.9	12.7	9.5	1.6	6.4	1000
GM-11	7.9	4.8	3.2	1.6	4.8	
GM-14NP	17.46	11.11	7.94	2.38	8.73	2000
GM-15	10.8	8.0	5.0	1.6	4.5	
GM-16	18.0	14.7	7.0	4.2	18.0	
GM-17	18.0	14.6	8.0	3.8	12.0	
GM-18	13.0	8.4	5.5	3.3	6.3	
GM-30	13.3	9.0	5.8	2.0	6.2	
GM-35	8.0	6.0	3.4	1.0	3.0	
GM-38	10.4	8.1	3.6	1.15	7.15	
GM-39	10.5	7.5	5.2	1.4	5.5	
GM-40	24.0	17.5	14.0	3.0	7.0	
GM-42	27.0	20.8	12.7	1.6	7.8	250
GM-43	11.0	7.9	4.7	1.6	6.0	
GM-44	12.3	8.0	5.0	4.0	8.0	
GM-45	16.0	9.5	6.2	2.0	7.0	
GM-46	7.5	6.0	3.5	1.0	5.0	1000
GM-47	17.5	13.5	10.0	2.0	7.0	
GM-48	10.8	8.0	4.5	1.2	4.5	
GM-49	7.8	5.8	2.33	0.8	4.0	
GM-50	17.5	12.0	10.0	2.0	6.8	
GM-51	12.0	9.0	6.5	1.5	5.5	
GM-53	7.5	4.5	3.5	2.0	4.0	
GM-55	7.0	6.0	3.5	1.0	5.0	
GM-56	7.7	5.0	3.1	1.3	2.8	
GM-57	8.8	6.0	4.1	2.5	7.0	
GM-58	11.0	9.0	6.0	2.5	6.6	
GM-60	7.0	6.0	3.5	1.0	3.0	
GM-61	17.5	12.7	9.0	1.6	6.8	
GM-62	17.5	12.7	8.6	1.6	6.8	
GM-64	12.9	10.5	9.3	0.8	2.4	
GM-65	24.0	18.0	14.0	3.0	7.0	
GM-68	15.0	12.1	6.0	3.0	5.0	
GM-69	12.0	9.0	6.0	1.5	7.0	


ANTI-VIBRATE GROMMET




- ◆ MATERIAL: NBR/RUBBER/
SILICON RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE



GM-70




GM-71




GM-80


PART NO	A	B	C	D	E	PACKAGE
GM-70	6.63	4.52	1.5	1.0	3.8	1000
GM-71	8.0	6.0	4.1	1.1	3.4	
GM-80	14.0	11.0	7.0	1.5	7.0	
GM-81	12.0	9.0	6.0	1.0	9.0	
GM-98	7.8	5.8	2.33	1.2	4.0	
GM-99	11.1	8.5	5.0	2.0	3.6	




GM-81




GM-98



GM-99




PART NO	A	B	C	D	E	F	G	H	PACKAGE
GM-67	17.5	9.5	7.2	6.8	14.5	2.0	2.3	6.7	1000
GM-73	17.5	9.5	6.8	6.3	14.5	2.0	2.3	6.7	
GM-74	18.5	10.5	8.2	7.8	15.5	2.0	2.3	6.7	
GM-75	19.5	11.5	9.2	8.8	16.5	2.0	2.3	6.7	
GM-77	21.8	13.8	11.2	10.8	18.8	2.0	2.3	6.7	
GM-82	17.5	9.5	6.2	5.8	14.5	2.0	2.3	6.7	
GM-96	17.5	11.5	7.2	6.8	16.5	2.0	2.3	6.7	
GM-97	17.5	11.5	7.6	7.2	16.5	2.0	2.3	6.7	




PART NO	PACKAGE
GM-92	1000

ANTI-VIBRATE GROMMET




- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK/BLUE/YELLOW/ PURPLE
- ◆ UNIT:mm




PART NO	A	B	C	PACKAGE
TGM-14	8.1	1.6	9.5	1000
TGM-15	8.1	1.6	11.0	
TGM-16	7.5	1.0	9.5	
TGM-25	8.1	1.0	9.5	
TGM-29	7.4	1.2	9.5	

TGM-11 TGM3-10
TGM632-10




PART NO	PACKAGE
TGM-11	1000


TGM-17
TGM-17SW



PART NO	PACKAGE
TGM-17	2000




PART NO	PACKAGE
TGM-18	1000




PART NO	PACKAGE
TGM-20	1000

5




- ◆ MATERIAL:SILICON RUBBER


PART NO	PACKAGE
TGM-21I	1000




PART NO	PACKAGE
TGM-36	1000




PART NO	PACKAGE
TGM-38	2000




PART NO	PACKAGE
TGM-40	1000




PART NO	PACKAGE
TGM-41	1000



PART NO	PACKAGE
TGM-45	1000




PART NO	PACKAGE
TGM-46	1000



PART NO	PACKAGE
TGU-1	1000



ANTI-VIBRATE GROMMET

- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK
- ◆ UNIT:mm





- ◆ TGM-10 / TGM-10SW
- ◆ TGM-13 / TGM-13SW


PART NO	A	B	C	D	E	PACKAGE
TGM-10	5.8	1.6	6.3	9.62	3.9	1000
TGM-13	6.75	1.5	7.8	10.5	4.75	
TGM-22	7.0	3.0	6.3	9.62	3.9	
TGM-23	8.0	1.0	7.8	11.0	4.75	
TGM-24	5.8	1.0	6.3	9.62	3.9	
TGM-28	5.8	1.2	6.3	9.62	3.9	2000
TGM-42	9.0	1.0	9.0	12.0	6.0	
TGM-52	5.8	0.8	6.35	9.62	3.9	1000





PART NO	PACKAGE
TGM-49	1000





PART NO	PACKAGE
TGM-51	1000





PART NO	A	B	C	D	E	PACKAGE
TGM-44	6.0	11.0	8.0	2.0	5.0	1000
TGM-50	3.9	7.0	5.5	0.9	2.8	
TGM-56	4.8	12.7	9.5	1.6	5.4	



PART NO	PACKAGE
★ TGM-64	1000





PART NO	PACKAGE
★ TGM-65	1000





- ◆ MATERIAL:SILICON RUBBER

PART NO	PACKAGE
★ TGM-68I	1000





MOUNTING HOLE Ø7.0~Ø7.5
(裝配孔尺寸僅供參考)



PART NO	PACKAGE
TGM-71	1000





PART NO	PACKAGE
★ TGM-81	1000



PART NO	PACKAGE
★ TGM-82	1000



PART NO	PACKAGE
★ TGM-83	1000




PART NO	PACKAGE
★ TGM-86	1000

ANTI-VIBRATE GROMMET



- ◆ BODY MATERIAL:TPE
- ◆ PIN MATERIAL:ZINC PLATED STEEL
- ◆ COLOR:BLACK/BLUE
- ◆ UNIT:mm




PART NO	PACKAGE
TGM-58	1000

ANTI-VIBRATE GROMMET

NEW



- ◆ BODY MATERIAL:TPE
- ◆ SCREW MATERIAL:STEEL
- ◆ COLOR:BLUE
- ◆ UNIT:mm




PART NO	PACKAGE
TGM-69	1000


ANTI-VIBRATE GROMMET



- ◆ MATERIAL:TPE
- ◆ PIN MATERIAL:ZINC PLATED STEEL
- ◆ COLOR:BLACK/BLUE
- ◆ UNIT:mm



PART NO	PACKAGE
TGM-73	1000




PART NO	PACKAGE
TGM-74	1000

ANTI-VIBRATE GROMMET




- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
TGM-76	1000

ANTI-VIBRATE GROMMET


- ◆ MATERIAL: NBR/RUBBER/
SILICON RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
GM-25	1000




PART NO	PACKAGE
GM-26	1000




PART NO	PACKAGE
GM-27	1000




PART NO	PACKAGE
GM-28	1000




PART NO	PACKAGE
GM-31	1000



PART NO	PACKAGE
GM-37	1000




PART NO	PACKAGE
GM-33	1000



PART NO	PACKAGE
GM-34	1000

OPHANGRUBBER


- ◆ MATERIAL: TPE
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
DKHR-1	100


SCREW

- ◆ MATERIAL:STEEL
- ◆ FINISH:NICKEL PLATING
- ◆ UNIT:mm



TGM-11


PART NO	A	B	C	TAPPED	PACKAGE
TGM3-10	5.0	5.0	4.5	M3X0.5	1000
TGM3-9.8SW	6.4	3.4	4.8	M3X0.5	
TGM632-10	5.0	5.0	4.5	6-32 UNC	




TGM-10

PART NO	PACKAGE
TGM3-8SW	1000

- ◆ MATERIAL:STAINLESS
- ◆ UNIT:mm




PART NO	A	B	C	D	E	TAPPED	PACKAGE
TGM3-11SW	6.0	3.0	4.01	4.00	4.0	M3X0.5	1000
TGM4-11SW	8.0	2.7	4.01	5.15	5.0	M4X0.7	
TGM4-13SW	8.0	2.7	4.01	7.25	5.0	M4X0.7	




TGM-10

PART NO	PACKAGE
TGM-10SW	1000



TGM-13

PART NO	PACKAGE
TGM-13SW	1000




TGM-17

PART NO	PACKAGE
TGM-17SW	1000

SNAP BUSHING


- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	A	B	MOUNTING HOLE	PACKAGE
LGT-2	2.3	6.0	Ø4.0	1000
LGT-6G	3.0	7.0	Ø4.8	

SILICON SNAP BUSHING


- ◆ MATERIAL: SILICON RUBBER (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
TF-395I	1000

SILICON SNAP BUSHING

- ◆ MATERIAL: SILICON RUBBER (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK/TRANSPARENT
- ◆ UNIT: mm




MOUNTING HOLE $\varnothing 15.0 \sim \varnothing 15.5$

PART NO	PACKAGE
TF-346I	1000

5

HOLE PLUGS

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: WHITE
- ◆ UNIT: mm




CHASSIS $\varnothing 2.8$
THICKNESS 1.2

PART NO	PACKAGE
FIXE-1	1000


HOLE PLUGS




- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK
- ◆ UNIT:mm



MOUNTING HOLE




ONLY FOR : MHD-7S
MOUNTING HOLE: ØC



ONLY FOR : MHD-5L
MOUNTING HOLE: ØC


PART NO	A	B	C	PACKAGE
MHD-5	7.0	5.2	5.0	1000
MHD-5L	7.0	5.2	5.0	
MHD-5.5	7.0	5.6	5.5	
MHD-6	8.0	6.2	6.0	
MHD-6.5	8.0	6.9	6.5	
MHD-7	9.0	7.2	7.0	
MHD-7S	9.0	7.3	7.0	
MHD-7.5IV0	10.0	7.9	7.5	
MHD-8	10.0	8.2	8.0	
★ MHD-10I	9.0	6.6	6.35	

- ◆ MATERIAL:SILICON RUBBER (UL)
- ◆ FLAME CLASS:94V-0




ONLY FOR : MHD-7.5IV0
MOUNTING HOLE Ø7.5

- ◆ MATERIAL:SILICON RUBBER
- ◆ COLOR:BLACK/COMPUTER/BLUE



ONLY FOR : MHD-5.5
MOUNTING HOLE: ØC

- ◆ MATERIAL:SILICON RUBBER
- ◆ COLOR:BLACK




ONLY FOR : MHD-10I
MOUNTING HOLE: ØC

5

HOLE PLUGS




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




CHASSIS Ø7.5

PART NO	PACKAGE
MHC-1	1000

HOLE PLUGS



- ◆ MATERIAL:NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLUE/RED
- ◆ UNIT:mm




MOUNTING HOLE Ø11

PART NO	PACKAGE
MHE-11	1000

HOLE PLUGS


- ◆ MATERIAL:PE
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
DVI-1	500

HOLE PLUGS


- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	A	B	C	D	E	F	PACKAGE
M9.5U	12.0	1.5	10.5	9.5	7.9	0.8~3.5	1000
M12U	16.2	1.9	10.6	12.7	11.5	0.8~3.0	500
M16U	18.6	1.9	10.6	15.9	14.0	0.8~3.5	
M19U	22.7	1.9	10.6	19.0	16.5	0.8~3.0	
M22U	25.6	1.9	10.6	22.1	20.5	0.8~3.3	

HOLE PLUGS

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	A	B	C	D	THICKNESS	PACKAGE
M04	4.8	6.35	4.5	5.5	1.6	2000
M06	6.4	7.6	4.5	5.6	1.6	
M07	7.0	10.9	5.6	7.0	0.8~1.8	
M09S	9.5	13.0	4.1	5.5	1.4	1000
M13.5	13.5	15.2	5.0	6.2	2.2	500
M16S	15.9	20.0	6.5	7.7	2.0	1000

HOLE PLUGS



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm




PART NO	A	B	C	D	THICKNESS	PACKAGE
M08	8.0	9.5	6.4	7.6	1.6	1000
M09A	9.0	11.5	8.6	10.1	3.3	
M09	9.5	11.9	8.6	10.1	3.3	
M11	11.0	14.0	9.0	10.1	3.3	500
M12	12.0	14.3	9.0	10.1	3.3	
M13	12.7	14.6	9.0	10.1	3.3	
M14	14.0	16.3	8.9	10.1	3.3	
M16	16.0	18.7	9.3	10.6	3.3	
M17	17.0	19.3	8.9	10.1	3.3	
M19	19.0	23.2	8.7	10.3	3.3	
M20	20.0	24.0	9.0	10.6	3.3	200
M22	22.2	25.4	9.9	11.0	3.3	
M25	25.4	28.4	9.6	11.0	3.3	
M28	28.0	32.0	12.0	13.5	3.3	
M30	30.0	34.2	10.0	11.3	3.3	
M32	32.0	36.0	10.0	12.0	3.3	
★ M53	53.0	57.5	17.4	19.0	0.8~6.5	

HOLE PLUGS



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm




PART NO	A	B	C	D	E	PACKAGE
MBWK-1	18.5	Ø11~Ø14	9.8	10.4	1.7	500
MBWK-2	30.0	Ø22~Ø26	15.5	11.6	1.9	

HOLE PLUGS




- ◆ MATERIAL: TPE
- ◆ COLOR: WHITE/BLACK
- ◆ UNIT: mm



PART NO	A	B	C	D	E	PACKAGE
CDELT-1	23.0	21.6	22.0	24.0	4.0	1000
CDELT-4	14.0	12.0	13.0	16.0	3.5	

HOLE PLUGS

- ◆ MATERIAL:TPE
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm






MOUNTING HOLE Ø13
THICKNESS 1.0~1.2

PART NO	PACKAGE
CDEL7-7	1000

HOLE PLUGS



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm






MOUNTING HOLE
THICKNESS 1.0~2.0

PART NO	PACKAGE
MSQ-8	500

HOLE PLUGS

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




MOUNTING HOLE
THICKNESS: G

PART NO	A	B	C	D	E	F	G	PACKAGE
MSQ-1	21.8	11.8	13.0	9.5	1.5	10.5	0.8~3.5	500
MSQ-2	35.0	11.9	26.0	9.5	1.5	10.5	0.8~3.5	
★ MSQ-4	16.0	12.0	13.0	9.5	1.5	10.5	1.4~3.5	
MSQ-5	15.0	15.0	13.5	13.5	2.0	11.0	0.75~3.8	
MSQ-6	24.3	14.0	16.0	11.5	1.5	10.5	0.8~3.5	
★ MSQ-7	18.0	8.0	16.5	6.5	1.5	10.5	0.8~3.5	


RUBBER PLUGS

- ◆ MATERIAL: RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLE Ø19

PART NO	PACKAGE
DGB-19	500




MOUNTING HOLE Ø19

PART NO	PACKAGE
DGB-19A	500


RUBBER PLUGS

- ◆ MATERIAL: RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLE Ø25.4

PART NO	PACKAGE
DGB-25	500




MOUNTING HOLE Ø28.5

PART NO	PACKAGE
DGB-26	500

HOLE PLUGS

- ◆ MATERIAL: EPDM
- ◆ COLOR: BLACK
- ◆ UNIT: mm

M3




◆ M3

PART NO	PACKAGE
TF-222	1000

HOLE PLUGS

- ◆ MATERIAL: SILICON RUBBER (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø7.0

PART NO	PACKAGE
TF-039I	1000

HOLE PLUGS

- ◆ MATERIAL: SILICON RUBBER (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø7.0~Ø7.3
THICKNESS 1.0~1.5

PART NO	PACKAGE
TF-140IV0	1000

HOLE PLUGS

- ◆ MATERIAL: EPDM
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø8.3

PART NO	PACKAGE
TF-461EP	1000

HOLE PLUGS



- ◆ MATERIAL: SILICON RUBBER (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm






MOUNTING HOLE
Ø5.5~Ø5.8

PART NO	PACKAGE
TF-618I	1000

STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLE





PART NO	WILL FIT THESE CABLE		CHASSIS DIMENSION		CHASSIS THICKNESS	DIMENSION			PACKAGE	UL
	UL/CSA DESCRIPTION	SIZE	A	B	F	C	D	E		
SB4F-2	SPT-2	4.1X 8.6	12.7	11.8	1.8~2.5	14.0	12.4	4.0	500	UL
SB5R-2	SJT3C#16	Ø8.2~9.2	12.7	11.5	0.8~1.6	14.0	11.1	4.5		
SB5R-4	SJT3C#16	Ø8.2~9.2	13.1	11.5	0.8~1.6	13.4	10.9	4.2		UL
	SJT3C#18	Ø7.6	12.7							
SB5F-4	SPT-3	5.0 X 10.0	14.3	13.4	0.8~1.6	15.5	15.4	6.2	250	UL
★SB5F-6	SPT-3	5.0 X 10.0	14.3	13.4	1.8~3.2	15.5	15.4	6.2		UL
SB6R-6	SJT3C#16	Ø8.2~9.2	15.9	14.0	0.8~1.6	16.6	14.6	5.6		UL

SWITCH POWER BUSHING




- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	WILL FIT THESE CABLE			CHASSIS DIMENSION		CHASSIS THICKNESS	PACKAGE
	UL TYPE DESIGNATION	AWG CONDUCTORS	APPROXIMATE SIZE	A	B	適用板厚	
SB6P4-4	SPT-2	18/3	3.0X7.6	15.9	14.0	2~2.5	500
		16/3	4.1X10.4				

STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




UL
E127489

PART NO	WIRE ACCOMMODATED:	PACKAGE
SB4L-4	SPT-2(3X6.6)	500
SB5L-4	SV(Ø6.0)	

STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




UL
E127489

PART NO	CORD TYPE	SIZE(AWG)OF CONDUCTOR	CHASSIS DIMENSION		CHASSIS THICKNESS MAX	DIMENSION			SECTION SHAPE	PACKAGE
			A	B		C	D	E		
SB6L-6	SJT	18/3C	15.9	14.0	3.2	15.4	14.2	24.5	ROUND TYPE	100
SB7L-2	SJT	14/3C	19.0	16.5	3.2	19.5	16.3	27.8		

STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




UL
E127489




PART NO	WILL FIT THESE CABLE		PACKAGE
	UL/CSA DESCRIPTION	SIZE	
SB8R-2	SJT3C#14 #18 24~30PCS	Ø12~15.2	100

STRAIN RELIEF BUSHING

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm







圓線用
ROUND TYPE

PART NO	WILL FIT THESE CABLE	CHASSIS DIMENSION		CHASSIS THICKNESS	DIMENSION			SECTION SHAPE	PACKAGE
	SIZE	A	B	F	C	D	E		
2P-1	Ø3.0~4.7	9.5	8.4	0.8~1.6	10.4	10.4	4.0	圓線用 FLAT TYPE	500

STRAIN RELIEF BUSHING

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLE



FLAT TYPE




ROUND TYPE



UL
E127489

PART NO	CORD TYPE	SIZE(AWG)OF CONDUCTOR	CHASSIS DIMENSION		CHASSIS THICKNESS MAX	DIMENSION			SECTION SHAPE	PACKAGE	
			A	B		F	C	D			E
2P-4	SPT-1	18/2C	9.5	8.7	1.6	10.4	10.4	4.0	FLAT TYPE	1000	
3P-4	SPT-1	18/2C	11.0	9.9	1.6	11.5	10.4	4.0			
3W-1	SPT-1	18/2C	11.0	9.9	2.5	11.5	10.4	4.0			
4N-4	SPT-2	18/2C	12.7	11.8	1.6	13.3	10.4	4.0			
		16/2C	13.1								
4K-4	SPT-2	18/2C	12.7	11.8	2.5	13.3	10.5	4.0			
		16/2C	13.1								
5N-4	SVT	18/3C	12.7	11.5	1.6	13.5	10.9	4.2	ROUND TYPE	500	
			13.1								
5P-4	SVT	18/3C	12.7	11.5	2.5	13.5	10.9	4.2			
			13.1								
6N-4	SJT	18/3C	15.9	14.0	1.6	16.8	14.8	5.6			
6P-4	SJT	18/3C	15.9								
6N3-4	SJT	16/3C	15.9			16.2	15.0	5.6			
6P3-4	SJT	16/3C	15.9								
7N-2	SJT	14/3C	19.0	16.5	1.6	19.5	19.1	7.8		100	
			19.8								
7P-2	SJT	14/3C	19.0	16.5	3.2	19.5	19.4	7.8			
			19.8								

SWITCH POWER BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



UL
E127489


MOUNTING HOLE
THICKNESS 0.8~1.6

PART NO	WILL FIT THESE CABLE		DIMENSION		PACKAGE
	UL/CSA DESCRIPTION	SIZE	A	B	
SB7R-7	SJT3C#10	14.0~17.0	25.0	17.0	100
SB7R-7SP		12.0~15.2	25.3	17.8	


SQUARE STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



SB4F-4



SB5R-5

UL
E127489



MOUNTING HOLE

PART NO	WILL FIT THESE CABLE		CHASSIS THICKNESS	PACKAGE
	UL/CSA DESCRIPTION	SIZE	F	
SB4F-4	SPT-1,SPT-2	3X5.6, 3.71X7.6	0.8~1.2	250
SB5R-5	SVT3C#18	Ø6.6~7.2	0.8~1.2	

SQUARE STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



UL
E127489



MOUNTING HOLE
THICKNESS: 0.8~1.2

PART NO	WILL FIT THESE CABLE		PACKAGE
	UL/CSA DESCRIPTION	SIZE	
SB4F-6	SPT-1,SPT-2	3X5.6, 3.71X7.6	200

STARAIN RELIEF BUSHING




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm





CHASSIS Ø7.0
THICKNESS 0.6~1.1

PART NO	PACKAGE
SBU-1	1000

STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE
THICKNESS 0.8~1.0

PART NO	PACKAGE
SBU-2	1000




SQUARE STRAIN RELIEF BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



組合後




PART NO	PACKAGE
SBU4-4	1000

PART NO	PACKAGE
SBU4-4-1	1000

STARAIN RELIEF BUSHING




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: GRAY
- ◆ UNIT: mm
- ◆ (P.A.T)





PART NO	PACKAGE
SBQC-1	100

SQUARE SNAP BUSHING




- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm





PART NO	A	B	C	D	E	F	G	H	PACKAGE
SQB-1	18.4	14.5	8.9	11.0	14.0	12.3	2.7	2.7	500
SQB-2	21.5	18.8	11.9	13.9	17.2	18.5	3.5	3.0	

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm





MOUNTING HOLE
THICKNESS 0.8~2.0

PART NO	A	B	C	D	E	F	G	PACKAGE
SQE-1	12.1	11.5	7.3	19.8	12.3	14.0	2.8	1000
SQE-2	21.0	17.0	14.0	26.0	21.0	21.0	2.7	500
★SQE-2-1	21.0	17.0	14.0	26.0	21.0	21.0	2.7	
SQE-3	28.8	22.7	22.4	33.2	29.0	27.0	2.8	

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK/NATURAL
- ◆ UNIT:mm




MOUNTING HOLE

PART NO	A	B	C	D	E	F	G	THICKNESS	PACKAGE
SQF-1	11.6	20.0	10.0	6.2	14.0	16.0	4.8	0.8~1.2	500
SQF-2	14.6	22.0	8.0	4.2	17.0	19.0	6.0	1.2~2.8	

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK/NATURAL
- ◆ UNIT:mm




MOUNTING HOLE

PART NO	PACKAGE
SQF-4	500

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
SQF-5	500

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
SQK-1	1000

SQUARE SNAP BUSHING

5



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
SQB-3	500

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	B	C	D	E	F	G	PACKAGE
SQB-4	22.0	14.0	31.5	9.0	17.0	19.0	13.5	500
SQB-5	17.9	10.9	26.0	6.8	14.0	16.0	10.5	100

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-0/94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
SQA-1	1000

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
SQI-1	1000

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
SQJ-1	1000

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
SQJ-2	1000


SQUARE SNAP BUSHING

NEW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PANEL MOUNTING DETAILS





THROUGH HOLE INSTALLATION EDGE INSTALLATION

PART NO	A	B	C	D	E	F	PANEL THICKNESS	PACKAGE
SQJA-1	25.0	21.8	10.7	4.1	11.6	30.4	0.8~1.6	500
	26.0						2.0	
SQJA-2	25.0	22.0	18.0	5.0	18.6	31.0	0.8~1.6	
	26.0						2.0	


SQUARE SNAP BUSHING

NEW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



MOUNTING HOLE
P.C.B THICKNESS 0.8~2.0






PART NO	PACKAGE
SQL-1	500

SQUARE SNAP BUSHING

NEW

- ◆ BODY MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm





MOUNTING HOLE
THICKNESS 0.8~3.0

PART NO	PACKAGE
SQA-2	1000

SQUARE SNAP BUSHING



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	B	C	D	E	F	G	H	PACKAGE
SQH-1	24.0	18.0	16.0	18.0	21.0	1.8	3.7	18.0	1000
SQH-2	24.3	19.3	17.5	24.5	27.0	1.9	3.9	19.3	

SQUARE SNAP BUSHING

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
SQD-1	1000

5

SQUARE SNAP BUSHING


- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	B	C	D	PACKAGE
SQG-1	10.9	1.2	4.2	4.8	1000
SQG-3	10.9	1.1	2.3	4.5	
SQG-4	10.8	1.1	4.6	4.6	
SQG-6	11.1	1.1	2.3	6.8	

SQUARE SNAP BUSHING


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
SQG-5	1000

SQUARE SNAP BUSHING

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
SQM-1	1000

5

SNAP BUSHING

- ◆ MATERIAL: PC+ABS (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
SBUT-1	1000

CABLE TIES



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




SELF-LOCKING TIES:

NEW PART NO	PART NO	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MAX BUNDLE mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
GT-80M	YJ-80	80(3.15")	2.5(0.10")	17(0.67")	8(18)	1000PCS
-----	YJ-98	98(3.86")	2.5(0.10")	22(0.87")	8(18)	1000PCS
GT-100M	YJ-100	100(4.00")	2.5(0.10")	23(0.91")	8(18)	1000PCS
GT-120M	YJ-120	120(4.72")	2.5(0.10")	30(1.18")	8(18)	1000PCS
GT-140M	YJ-142S	142(5.59")	2.5(0.10")	36(1.42")	8(18)	1000PCS
GT-160M	YJ-160	160(6.30")	2.5(0.10")	42(1.66")	8(18)	1000PCS
-----	YJ-181	181(7.13")	2.5(0.10")	49(1.92")	8(18)	1000PCS
GT-200M	YJ-203S	203(8.00")	2.5(0.10")	56(2.21")	8(18)	1000PCS
-----	YJ-102	102(4.00")	3.6(0.14")	22(0.87")	18(40)	500PCS
GT-120I	YJ-122	122(4.80")	3.6(0.14")	29(1.14")	18(40)	500PCS
GT-140I	YJ-142	142(5.59")	3.6(0.14")	34(1.34")	18(40)	1000PCS
-----	YJ-163	163(6.41")	3.6(0.14")	40(1.57")	18(40)	500PCS
GT-180I	YJ-185	185(7.28")	3.6(0.14")	47(1.85")	18(40)	500PCS
GT-200I	YJ-203	203(8.00")	3.6(0.14")	55(2.17")	18(40)	500PCS
GT-250I	YJ-232	232(9.13")	3.6(0.14")	63(2.48")	18(40)	500PCS
-----	YJ-263	263(10.35")	3.6(0.14")	73(2.87")	18(40)	500PCS
GT-300I	YJ-295	295(11.61")	3.6(0.14")	83(3.27")	18(40)	500PCS
-----	YJ-331	331(13.00")	3.6(0.14")	96(3.78")	18(40)	500PCS
GT-370I	YJ-370	370(14.57")	3.6(0.14")	108(4.25")	18(40)	500PCS
GT-120ST	YJ-115	115(4.53")	4.8(0.19")	29(1.15")	23(50)	500PCS
GT-150ST	YJ-140	140(5.50")	4.8(0.19")	34(1.34")	23(50)	500PCS
GT-160ST	YJ-162	162(6.38")	4.8(0.19")	42(1.66")	23(50)	500PCS
GT-190ST	YJ-188	188(7.40")	4.8(0.19")	49(1.93")	23(50)	500PCS
GT-200ST	YJ-201	201(8.00")	4.8(0.19")	53(2.08")	23(50)	500PCS
GT-216ST	YJ-216	216(8.50")	4.8(0.19")	58(2.28")	23(50)	500PCS
GT-250ST	YJ-242	242(9.53")	4.8(0.19")	66(2.60")	23(50)	500PCS
GT-266ST	YJ-266	266(10.47")	4.8(0.19")	72(2.84")	23(50)	500PCS
GT-300ST	YJ-292	292(11.50")	4.8(0.19")	82(3.23")	23(50)	500PCS
-----	YJ-330	330(13.00")	4.8(0.19")	93(3.66")	23(50)	500PCS
GT-370ST	YJ-368	368(14.49")	4.8(0.19")	106(4.17")	23(50)	500PCS
-----	YJ-410	410(16.14")	4.8(0.19")	122(4.80")	23(50)	500PCS
GT-430ST	-----	430(16.93")	4.8(0.19")	126(4.96")	23(50)	500PCS
GT-450ST	YJ-450	450(17.72")	4.8(0.19")	135(5.31")	23(50)	100PCS
GT-150HD	YJ-148	148(5.83")	7.6(0.30")	36(1.42")	54(120)	100PCS
GT-200HD	YJ-182	182(7.17")	7.6(0.30")	46(1.81")	54(120)	100PCS
-----	YJ-215	215(8.46")	7.6(0.30")	59(2.32")	54(120)	100PCS
GT-250HD	YJ-254	254(10.00")	7.6(0.30")	71(2.80")	54(120)	100PCS
GT-300HD	YJ-293	293(11.54")	7.6(0.30")	84(3.30")	54(120)	100PCS
-----	YJ-332	332(13.00")	7.6(0.30")	95(3.74")	54(120)	100PCS
GT-370HD	YJ-368L	368(14.49")	7.6(0.30")	109(4.29")	54(120)	100PCS
-----	YJ-420	420(16.54")	7.6(0.30")	124(4.88")	54(120)	100PCS
-----	YJ-470	470(18.50")	7.6(0.30")	140(5.51")	54(120)	100PCS
-----	YJ-520	520(20.47")	7.6(0.30")	156(6.14")	54(120)	100PCS
-----	YJ-178	178(7.00")	9.0(0.35")	45(1.76")	80(175)	100PCS
-----	YJ-229	229(9.00")	9.0(0.35")	61(2.40")	80(175)	100PCS
-----	YJ-280	280(11.00")	9.0(0.35")	77(3.03")	80(175)	100PCS
-----	YJ-329	329(13.00")	9.0(0.35")	93(3.66")	80(175)	100PCS
-----	YJ-382	382(15.00")	9.0(0.35")	110(4.33")	80(175)	100PCS
-----	YJ-458	458(18.00")	9.0(0.35")	135(5.32")	80(175)	100PCS
GT-530HD	YJ-530	530(20.87")	9.0(0.35")	155(6.10")	80(175)	100PCS
-----	YJ-655	655(25.79")	9.0(0.35")	194(7.64")	80(175)	100PCS
GT-780HD	YJ-780	780(30.71")	9.0(0.35")	234(9.21")	80(175)	100PCS
GT-830HD	YJ-815	815(32.00")	9.0(0.35")	247(9.72")	80(175)	100PCS

CABLE TIES

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PUSH SELF-LOCKING TIES:

PART NO	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MAX BUNDLE mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
YJ-123	123(4.84")	3.4(0.13")	25.4(1.00")	18.(40)	1000pcs

CABLE TIES

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PUSH TIES-RELEASABLE :

PART NO	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MAX BUNDLE mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
YJ-151	151(6.00")	7.8(0.30")	37(1.45")	40(88)	100pcs
YJ-191	191(7.50")		49(1.92")		
YJ-231	231(9.00")		62(2.44")		

CABLE TIES


- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm



PART NO	PACKAGE
KYCB-129	250

CABLE TIES

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




RELEASABLE TIES:

PART NO	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MAX BUNDLE mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
YJ-228	228(9.00")	12.7(0.50")	54(2.12")	114(250)	100pcs
YJ-256	256(10.00")		62(2.44")		
YJ-279	279(11.00")		70(2.75")		
YJ-305	305(12.00")		78(3.07")		
YJ-328	328(13.00")		86(3.38")		
YJ-355	355(14.00")		94(3.70")		
YJ-380	380(15.00")		102(4.00")		
YJ-405	405(16.00")		110(4.33")		
YJ-430	430(17.00")		118(4.64")		
YJ-455	455(18.00")		127(5.00")		
YJ-485	485(19.00")		135(5.31")		
YJ-510	510(20.00")		143(5.62")		
YJ-534	534(21.00")		151(5.94")		
YJ-560	560(22.00")		159(6.25")		
YJ-585	585(23.00")		167(6.57")		
YJ-610	610(24.00")		175(6.88")		
YJ-635	635(25.00")		183(7.20")		
YJ-660	660(26.00")		191(7.51")		
YJ-685	685(27.00")		199(7.83")		
YJ-710	710(28.00")		207(8.14")		
YJ-735	735(29.00")		215(8.46")		
YJ-760	760(30.00")		224(8.81")		
YJ-790	790(31.00")		232(9.13")		
YJ-813	813(32.00")		243(9.57")		
YJ-915	915(36.00")		274(10.79")		
YJ-1042	1042(41.00")		314(12.36")		
YJ-1168	1068(46.00")		354(13.94")		

CABLE TIES




- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MARKER TIES:

PART NO	APPROX LENGTH mm (in)	APPROX WIDTH mm (in)	MAX BUNDLE mm (in)	MIN. LOOP TENSILE STRENGTH kgs. (lbs.)	PACKAGE
YJ-98X	100(4.00")	2.5(0.10")	22.(0.87")	8(18)	500pcs




CLAMP MOUNTING TIES:

PART NO	APPROX LENGTH mm (in)	D	APPROX WIDTH mm (in)	MAX BUNDLE mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
YJ-110	110(4.33")	3.2	2.8(0.11")	23(0.91")	10(22)	500pcs
YJ-156	156(6.14")	4.2	3.6(0.14")	35(1.38")	18(40)	1000pcs
YJ-205	205(8.00")	5.4	4.8(0.19")	51(2.01")	23(50)	
YJ-255	255(10.00")			67(2.64")		
YJ-304	304(12.00")			83(3.27")		
YJ-356	356(14.00")			101(3.98")		
YJ-406	406(16.00")					118(4.64")
YJ-230	230(9.00")	6.4	7.6(0.30")	58(2.28")	54(120)	100pcs
YJ-306	306(12.00")			84(3.31")		
YJ-381	381(15.00")			108(4.25")		
YJ-460	460(18.00")			133(5.24")		
YJ-535	535(21.00")			155(6.10")		



RELEASABLE TIES:

PART NO	APPROX LENGTH mm (in)	APPROX WIDTH mm (in)	MAX BUNDLE mm (in)	MIN. LOOP TENSILE STRENGTH kgs. (lbs.)	PACKAGE
YJ-150	150(5.90")	7.5(0.295")	39(1.54")	23(50)	100pcs
YJ-200	200(7.87")		56(2.21")		
YJ-250	250(9.84")		72(2.83")		





RELEASABLE TIES:

PART NO	APPROX LENGTH mm (in)	APPROX WIDTH mm (in)	MAX BUNDLE mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
YJ-300	300(11.81")	7.6(0.30")	86(3.38")	23(50)	100pcs
YJ-350	350(13.87")		102(4.02")		
YJ-400	400(15.75")		118(4.65")		
YJ-R655	655(25.79")	9.0(0.35")	194(7.64")	80(175)	
YJ-R780	780(30.71")		234(9.21")		
YJ-R815	815(32.00")		247(9.72")		

STRAP TIES


- ◆ MATERIAL:PE/NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm



PART NO	A	B	C	D	E	PACKAGE
ST-1SN	157	15.0	8.6	18.3	1.0	500
ST-1	157	14.7	8.6	18.3	1.5	
ST-4	205	15.0	8.6	18.3	1.7	
ST-5	125	13.0	7.5	16.0	1.45	
ST-5NS	125	13.0	7.5	16.0	1.0	
ST-11N	300	15.0	8.6	18.3	1.7	

STRAP TIES


- ◆ MATERIAL:PE
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	A	B	C	D	PACKAGE
ST-2	135.0	15.8	21.4	10.0	500
ST-3	140.0	15.4	24.5	10.0	

STRAP TIES


- ◆ MATERIAL:TPE
- ◆ COLOR:BLUE
- ◆ UNIT:mm



PART NO	PACKAGE
ST-6	250



PART NO	PACKAGE
ST-13	500




PART NO	PACKAGE
ST-15	500

STRAP TIES



- ◆ MATERIAL:PE
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	PACKAGE
ST-7	500

STRAP TIES



- ◆ MATERIAL:PE
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
ST-8	500

5

STRAP TIES



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
ST-9	500

STRAP TIES



- ◆ MATERIAL:PE
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	PACKAGE
STO-166	500

STRAP TIES



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	A	PACKAGE
GTB-70	70.0	1000
GTB-100	112.0	

STRAP TIES




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	A	PACKAGE
★ GTB-85	85.0	1000
GTB-103	103.0	

CABLE TIES



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




CHASSIS Ø7.0

PART NO	A	PACKAGE
STC-115	115.3	200
★ STC-175	175.0	

CABLE TIES



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm





PART NO	A	B	C	PACKAGE
STC-171	171.2	9.1	Ø7.0	100
STC-172	171.0	6.5	Ø5.5	
STC-174	220.0	9.1	Ø7.0	

CABLE TIES



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE
THICKNESS MAX 3.8

PART NO	PACKAGE
STC-173	200

CABLE TIES



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
STC-121	121.0	100
STC-176	171.2	

5

CABLE TIES



- ◆ MATERIAL: LDPE
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø7.0

PART NO	PACKAGE
STCA-161	500

CABLE TIES




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm



MOUNTING HOLE Ø5.0
CHASSIS THICKNESS 2.5~2.8

PART NO	PACKAGE
STCA-224	500




MOUNTING HOLE Ø5.0

PART NO	PACKAGE
STCA-225	500

CABLE TIES



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
STCA-235	500

CABLE TIES



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
STCL-100	100

STRAP TIES



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
LOCK-145	145	1.8	1000
LOCK-200	200	2.0	

STRAP TIES



- ◆ MATERIAL: PP
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
LOCK-150	1000


CABLE TIES

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm


RA
E75050(S)




STYLE 1



STYLE 2





STYLE 3




PART NO	Approx Length mm (in)	Approx. Width mm (in)	Max. Bundle Dia. mm (in)	Min.LOOP Tensile Strength kgs.(lbs.)	Hole Diameter CHASSIS	Max. Panel THICKNESS	STYLE	PACKAGE
GTP-130ST	132(5.12)	4.8(0.19)	25(0.98)	22.2(50)	6.4(0.252)	3.2(0.126)	3	1000
GTP-170ST	175(6.69)		38(1.50)					
GTP-190ST	200(7.68)		45(1.77)					
GTP-110M	110(4.33)	2.5(0.10)	22(0.87)	8.1(18)	4.8~5.0 (0.189)~(0.197)	0.8~2.4 (0.03)~(0.09)	2	
GTP-110MA								
GTP-130I	130(5.12)	3.2(0.13)	28(1.10)	13.6(30)	4.0(0.157)	1.0~2.0	3	
GTP-150I	150(5.91)	3.6(0.14)	32(1.26)		5.2(0.205)	1.0~2.8	1	
GTP-200ST	200(7.87)	4.8(0.19)	46(1.81)		22.2(50)	6.3(0.248)		
Releasable Cable Tie								
GTRP-130I	130(5.12)	3.2(0.13)	28(1.10)	13.6(30)			3	1000

A.G.P CARD HOLDER

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ AGP-1B MATERIAL:STEEL
- ◆ UNIT:mm



PART NO
AGP-1A




PART NO
AGP-1B

CABLE MOUNT




- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	ØA	PACKAGE
ASUS-1	2.8	2000
ASUS-3	3.1	

CABLE TIES



- ◆ MATERIAL:SUS316
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




SELF-LOCKING TIES:

PART NO	MAX BUNDLE mm(in)	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
STB-152S	25(1.00")	152(6.00")	4.5(0.177")	45.3(100)	100PCS
STB-200S	50(2.00")	200(8.00")	4.5(0.177")	45.3(100)	100PCS
STB-360S	102(4.00")	360(14.0")	4.5(0.177")	45.3(100)	100PCS
STB-520S	152(6.00")	520(20.0")	4.5(0.177")	45.3(100)	100PCS
STB-680S	203(8.00")	680(27.0")	4.5(0.177")	45.3(100)	100PCS
STB-840S	254(10.0")	840(33.0")	4.5(0.177")	45.3(100)	100PCS
STB-1050S	318(12.5")	1050(41.0")	4.5(0.177")	45.3(100)	50PCS


PART NO	MAX BUNDLE mm(in)	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
STB-152M	25(1.00")	152(6.00")	8.0(0.315")	113.3(250)	100PCS
STB-200M	50(2.00")	200(8.00")	8.0(0.315")	113.3(250)	100PCS
STB-360M	102(4.00")	360(14.0")	8.0(0.315")	113.3(250)	100PCS
STB-520M	152(6.00")	520(20.0")	8.0(0.315")	113.3(250)	100PCS
STB-680M	203(8.00")	680(27.0")	8.0(0.315")	113.3(250)	100PCS
STB-840M	254(10.0")	840(33.0")	8.0(0.315")	113.3(250)	100PCS
STB-1050M	318(12.5")	1050(41.0")	8.0(0.315")	113.3(250)	50PCS

PART NO	MAX BUNDLE mm(in)	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
STB-290L	80(3.10")	290(11.0")	12.0(0.472")	272.0(600)	50PCS
STB-360L	102(4.00")	360(14.0")	12.0(0.472")	272.0(600)	50PCS
STB-430L	121(4.70")	430(17.0")	12.0(0.472")	272.0(600)	50PCS
STB-520L	152(6.00")	520(20.0")	12.0(0.472")	272.0(600)	50PCS
STB-600L	175(6.80")	600(24.0")	12.0(0.472")	272.0(600)	50PCS
STB-680L	203(8.00")	680(27.0")	12.0(0.472")	272.0(600)	50PCS
STB-750L	230(8.70")	750(30.0")	12.0(0.472")	272.0(600)	50PCS
STB-840L	254(10.0")	840(33.0")	12.0(0.472")	272.0(600)	50PCS
STB-910L	273(10.7")	910(36.0")	12.0(0.472")	272.0(600)	25PCS
STB-1000L	302(11.9")	1000(39.0")	12.0(0.472")	272.0(600)	25PCS
STB-1070L	325(12.8")	1070(42.0")	12.0(0.472")	272.0(600)	25PCS
STB-1200L	351(13.8")	1200(47.0")	12.0(0.472")	272.0(600)	25PCS

CABLE TIES



- ◆ MATERIAL: SUS316
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




SELF-LOCKING TIES:

PART NO	MAX BUNDLE mm(in)	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
STL-150S	22(0.86")	150(5.90")	7.0(0.28")	113.4(250)	100PCS
STL-195S	45(1.70")	195(8.00")	7.0(0.28")	113.4(250)	100PCS
STL-255S	64(2.50")	255(10.0")	7.0(0.28")	113.4(250)	100PCS
STL-335S	89(3.50")	335(13.0")	7.0(0.28")	113.4(250)	100PCS
STL-490S	139(5.40")	490(19.0")	7.0(0.28")	113.4(250)	100PCS
STL-635S	185(7.20")	635(25.0")	7.0(0.28")	113.4(250)	100PCS


PART NO	MAX BUNDLE mm(in)	APPROX LENGTH mm(in)	APPROX WIDTH mm(in)	MIN. LOOP TENSILE STRENGTH kgs.(lbs.)	PACKAGE
STL-150M	22(0.86")	150(5.90")	12.0(0.472")	113.4(250)	100PCS
STL-195M	45(1.70")	195(8.00")	12.0(0.472")	113.4(250)	100PCS
STL-255M	64(2.50")	255(10.0")	12.0(0.472")	113.4(250)	100PCS
STL-335M	89(3.50")	335(13.0")	12.0(0.472")	113.4(250)	100PCS
STL-490M	139(5.40")	490(19.0")	12.0(0.472")	113.4(250)	100PCS
STL-635M	185(7.20")	635(25.0")	12.0(0.472")	113.4(250)	100PCS

5

HANDLE GRIPS



- ◆ MATERIAL: HDPE
- ◆ COLOR: WHITE
- ◆ UNIT: mm




PART NO	PACKAGE
SFA-1	2000

PACKING FASTENERS




- ◆ MATERIAL: PP
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
CTBX-1	250

PVC NON HEAT-SHRINKABLE PVC TUBING

- ◆ MATERIAL:P.V.C
- ◆ COLOR:BLACK/CLEAR
- ◆ UNIT:mm




PACKAGE			
PART NO	FEET	(M)	(m/m)
P0.864~P5.94	1000	(304.8)	(304800)
P6.68~P11.1B	500	(152.4)	(152400)
P12.7B			
P11.1	250	(76.2)	(76200)
P12.7			

PART NO	SIZE AWG	INSIDE DIAMETER	CAT.NO. DEV-300(300V.105℃)			CAT.NO. DEV-600 (600V.105℃)		
			OUTSIDE DIAMETER	AVG THICKNESS	MIN THICKNESS AT ANY POINT	OUTSIDE DIAMETER	AVG THICKNESS	MIN THICKNESS AT ANY POINT
P0.864	20	0.864	1.70	0.40	0.330	2.10	0.60	0.431
P0.965	19	0.965	1.80			2.20		
P1.067	18	1.067	1.90			2.30		
P1.19	17	1.19	2.00			2.60		
P1.34	16	1.34	2.15			2.75		
P1.50	15	1.5	2.30			2.90	0.70	0.559
P1.68	14	1.68	2.50			3.10		
P1.93	13	1.93	2.70			3.35		
P2.16	12	2.16	3.00			3.60		
P2.41	11	2.41	3.20			3.80		
P2.69	10	2.69	3.50	0.55	0.431	4.10		
P3.00	9	3.00	4.10			4.40		
P3.38	8	3.38	4.50			4.80		
P3.76	7	3.76	4.90			5.20		
P4.22	6	4.22	5.35			5.65		
P4.72	5	4.72	5.85			6.15		
P5.28	4	5.28	6.40			6.70		
P5.94	3	5.94	7.05			7.35		
P6.68	2	6.68	7.80			8.10		
P7.47	1	7.47	8.60			8.90		
P8.38	0	8.38	9.50			9.80		
P7.92	5/16"	7.92				9.35		
P9.53	3/8"	9.53				10.95		
P11.1	7/16"	11.10				12.50		
P12.7	1/2"	12.70				14.10		

HEAT-SHRINKABLE TUBING


- ◆ MATERIAL: POLYOLEFIN
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	DIMENSIONS BEFORE SHRINKAGE		DIMENSIONS AFTER SHRINKAGE		PACKAGE	
	(D) INSIDE DIA	(t) THICKNESS	INSIDE DIA	(t) THICKNESS	M/1 ROLL	mm/1 ROLL
Ø1.0	1.3	0.2	0.5	0.33	200	200000
Ø1.5	2.0		0.75	0.36		
Ø2.0	2.5		1.0	0.44		
Ø2.5	3.0	1.25				
Ø3.0	3.5	1.5				
Ø3.5	4.0	1.75				
Ø4.0	4.5	0.25	2.0	0.56	100	100000
Ø5.0	5.4		2.5			
Ø6.0	6.4		3.0			
Ø7.0	7.4	0.25	3.5	0.56	50	50000
Ø8.0	8.4		4.0			
Ø9.0	9.4		4.5			
Ø10.0	10.4		5.0			
Ø11.0	11.4		5.5			
Ø12.0	12.4		6.0			
Ø13.0	13.5	0.3	6.5	0.69		
Ø14.0	14.5		7.0			
Ø15.0	15.5		7.5			
Ø16.0	16.8		8.0			
Ø18.0	18.7	0.35	9.0	0.77		
Ø20.0	21.2		10.0			
Ø22.0	23.2	0.4	11.0	0.87		
Ø25.0	26.1		12.5			
Ø28.0	29.0	0.5	14.0			
Ø30.0	32.0		14.8			
Ø32.0	34.0		16.0			
Ø35.0	37.0		17.5			
Ø40.0	43.0		20.0	0.97		
Ø50.0	53.0		24.7			

SILICON GLASS FIBER SLEEVING

- ◆ MATERIAL:
- ◆ COLOR: WHITE
- ◆ UNIT: mm




PART NO	(D) INSIDE DIAMETER	(t) THICKNESS	PACKAGE	
T1	1.0	0.28	200M	
T2	2.0			
T3	3.0			
T4	4.0	0.30	100M	
T5	5.0			
T6	6.0			
T7	7.0			
T8	8.0	0.35	50M	
T9	9.0			
T10	10.0			
T12	12.0	0.36		
T14	14.0			
T16	16.0			

CHARACTER	(BREAK DOWN VOLTAGE)KV			HEAT RESISTANCE °C	FLAMERESISTANT	
	UNDER NORMAL CONDITIONS	AFTER ABSORBING MOISTURE	BENDING RESISTANCE			
	AVERAGE	MINIMUM	MINIMUM			
FSRN-1500	≥1.5	≥1.2	≥1.2	-30°C~180°C	難燃自熄 VW -1	UL1441


HANDLE



- ◆ MATERIAL:PE
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-1	100




PART NO	PACKAGE
HAND-2	100

HANDLE



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:GREEN/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-7	500

◆ MOUNTING HOLES


HANDLE



- ◆ MATERIAL:PE
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
HAND-12	100




PART NO	PACKAGE
HAND-13	100


HANDLE



- ◆ MATERIAL:PE
- ◆ COLOR:NATURAL
- ◆ UNIT:mm



PART NO	PACKAGE
HAND-14A	100




PART NO	PACKAGE
HAND-14B	100


HANDLE



- ◆ MATERIAL:PE / PP
- ◆ COLOR:NATURAL
- ◆ UNIT:mm



PART NO	PACKAGE
HAND-23A	100




PART NO	PACKAGE
HAND-23B	100


HANDLE



- ◆ MATERIAL:PE
- ◆ COLOR:GRAY/NATURAL
- ◆ UNIT:mm



PART NO	PACKAGE
HANDN26A	100




PART NO	PACKAGE
HAND-26B	100

HANDLE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
HAND-40	500

HANDLE



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
HANI-90	100

5

HANDLE



- ◆ MATERIAL: PC+ABS (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
HANI-96	97.0	11.4	100
HANI-119	118.7	10.05	50

HANDLE



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
HAND-10	250

HANDLE



- ◆ BODY MATERIAL:PC+ABS (UL)
- ◆ METAL MATERIAL:ZINC PLATING SPCC
- ◆ BODY FLAME CLASS : 94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-28	250

HANDLE



- ◆ BODY MATERIAL:PC+ABS (UL)
- ◆ METAL MATERIAL:ZINC PLATING SPCC
- ◆ BODY FLAME CLASS : 94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	A	B	C	D	PACKAGE
HAND-30	71.5	61.5	22.0	8.0	250
HAND-31	51.6	41.6	21.0	9.0	

HANDLE



- ◆ BODY MATERIAL:NYLON 66 (UL) 94V-0
- ◆ SCREW MATERIAL:STEEL
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HANUL-2F	100

HANDLE



- ◆ BODY MATERIAL:NYLON 66 (UL) 94V-0
- ◆ SCREW MATERIAL:STEEL
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HANUL-3NF	100

HANDLE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
HANU-73	250

HANDLE



- ◆ MATERIAL: PC+ABS (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
HANU-91	250

5

HANDLE



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




SECTION A-A

PART NO	PACKAGE
HANU-74	250

HANDLE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	A	B	C	PACKAGE
HAND-25	3.2	32	40	250
HAND-38	3.2	30	38	
HAND-41	4.0	30	38	
★ HAND-47	4.2	32	40	

HANDLE



- ◆ BODY MATERIAL:PC+ABS (UL)
- ◆ METAL MATERIAL:ZINC PLATING SPCC
- ◆ BODY FLAME CLASS : 94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-29	250

HANDLE



- ◆ MATERIAL:NYLON 66(UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HANU-34	100

HANDLE



- ◆ MATERIAL:PC+ABS(UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HANU-71	250

HANDLE



- ◆ MATERIAL:PC+ABS(UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-73	100

HANDLE



- ◆ MATERIAL:PC+ABS(UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-27	250

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HAND-34	250

5

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HANU-27U	250


HANDLE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
HANU-30PN	250




PART NO	PACKAGE
HANU-30PVB	250


HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
HANU-32VB	250




PART NO	PACKAGE
HANU-32PVB	250


HANDLE



- ◆ MATERIAL:NYLON 66 (UL)/PC+ABS (UL)
- ◆ FLAME CLASS :94HB/94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	A	B	C	D	TAPPED	PACKAGE
HANU-40	40.0	30.0	23.7	6.3	M3X0.5P	250
HANU-48	48.0	32.0	25.7	6.3		
HANU-51	51.0	32.0	25.7	6.3		
★HANU-70-1	51.0	38.7	31.7	7.0		
HANU-70	51.0	38.7	31.7	7.0	6-32 UNC	
HANU-72	51.5	45.0	38.0	7.3		




PART NO	PACKAGE
HANU-77	1000

HANDLE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:CLEAR
- ◆ UNIT:mm




PART NO	PACKAGE
HANU-80	250

HANDLE



- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK/PURPLE/GREEN
- ◆ UNIT:mm



SECTION A-A


ASSEMBLY PART

PART NO	PACKAGE
HANE-21	250

HANDLE



- ◆ MATERIAL:SANTOPREN 8000
- ◆ COLOR:ORANGE/GRAY/BLACK
- ◆ UNIT:mm



ASSEMBLY PART
THICKNESS 0.8


PART NO	PACKAGE
HANE-35	250

5

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS:94V-0/94V-2
- ◆ COLOR:PURPLE/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-24	250

HANDLE




- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR:BLACK/ORANGE
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-40	1000

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS :94V-0/94V-2
- ◆ COLOR:PURPLE/BLACK
- ◆ UNIT:mm




PART NO	A	B	C	D	E	F	G	PACKAGE
HANE18	18.47	18.29	15.24	1.24	5.08	7.11	3.56	1000
HANE 29	18.5	18.3	15.1	1.2	5.1	7.0	3.2	

HANDLE




- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR:BLACK/GREEN
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-32	1000

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS : 94V-2/94V-0
- ◆ COLOR:BLACK/GREEN
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-33	1000

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR:BLACK/GREEN
- ◆ UNIT:mm




PART NO	ASSEMBLY THICKNESS	PACKAGE
HANE-36	0.8~1.0	1000
★ HANE-48	1.2	

HANDLE



- ◆ MATERIAL:TPE
- ◆ COLOR:ORANGE
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-23	1000

HANDLE



- ◆ MATERIAL:TPE (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK/ORANGE
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-37V0	1000


HANDLE



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR:BLACK/BLUE/ORANGE
- ◆ UNIT:mm



PART NO	PACKAGE
HANE-26	1000




PART NO	PACKAGE
HANE-38	1000

HANDLE



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




ASSEMBLY PART

PART NO	PACKAGE
HANE-30	1000

HANDLE



- ◆ MATERIAL:TPV
- ◆ COLOR:ORANGE
- ◆ UNIT:mm




PART NO	PACKAGE
HANE-22	250

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK/BLUE
- ◆ UNIT:mm




ASSEMBLY PART

PART NO	PACKAGE
HANE-41	250

HANDLE



- ◆ MATERIAL:PC+ABS (UL)
- ◆ FLAME CLASS :94V-2/94V-0
- ◆ COLOR:BLACK/ORANGE
- ◆ UNIT:mm




ASSEMBLY PART

PART NO	PACKAGE
HANE-34	1000

HANDLE



- ◆ MATERIAL:ABS/PC (UL)
- ◆ FLAME CLASS:94HB/94V-2
- ◆ COLOR:BLACK/RED
- ◆ UNIT:mm




ASSEMBLY PART
THICKNESS 0.6

PART NO	PACKAGE
HANE-46	1000

MOUNTING TAB




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
MTAC-1	500



MOUNTING TAB



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
MTAB-5	500




PART NO	PACKAGE
MTAB-10	500

CABLE TIE BUCKLE





- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm





PART NO	PACKAGE
YJHH-4.8	1000

BOX HANDEL



- ◆ MATERIAL:PP
- ◆ FLAME CLASS:94HB
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm





PART NO	PACKAGE
CABOX-1	100



PART NO	PACKAGE
CABOX-2	100




PART NO	PACKAGE
CABOX-3	100



PART NO	PACKAGE
CABOX-5	100

TOOL




Bushing Tool

PART NO
HT-205-1



Cable Tie Gun

PART NO
TGN-1



Crimp Tool for
flag terminal

PART NO
KY-1



Cable Tie Gun

PART NO
TGN-2