


- ★ SCREW
- ★ CARD GUIDE
- ★ PULLER




SCREW BONNET

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
MP-2.5	1000

SCREW BONNET



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




PART NO	A	B	C	D	THREAD	PACKAGE
MP-3	6.0	5.0	3.0	5.5	M3X0.5	1000
MP-4	8.0	6.5	4.0	7.7	M4X0.7	

SCREW BONNET



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
MP-5	1000

8

SCREW BONNET



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
MP-12	1000

SCREW BONNET

NEW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
MP-26	1000

SCREW BONNET

NEW


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
MP-632	1000

SCREW BONNET



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
SWV-4	1000

SCREW BONNET


- ◆ MATERIAL: SILICON RUBBER (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK/GRAY
- ◆ UNIT: mm



PART NO	PACKAGE
TF-250I	1000

NUT


- ◆ MATERIAL: PC (UL)/NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	B	THREAD	PACKAGE
M-2	1.4	3.95	M2.0X0.4P	2000
M-2.6	2.0	5.0	M2.6X0.45P	
M-3	2.7	5.5	M3X0.5P	
M-3.5	2.8	5.9	M3.5X0.6P	
M-4	3.3	6.9	M4X0.7P	1000
M-5	4.4	8.0	M5X0.8P	
M-6	5.0	10.0	M6X1.0P	
S4-40	2.5	6.4	4-40 UNC	
S6-32	3.2	7.9	6-32 UNC	

NUT


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
M12-2	2000

NUT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	B	C	D	THREAD	PACKAGE
MO-3	5.4	8.5	3.2	0.8	M3X0.5P	1000
MO-4	6.9	9.7	4.5	0.9	M4X0.7P	
MO-632	7.8	10.6	4.2	1.0	6-32 UNC	

NUT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
MO-13	1000

NUT



- ◆ MATERIAL: PP (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
MO-25.4	100

SCREW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




ONLY FOR: MOTA-20

PART NO	A	B	C	D	E	F	THREAD	PACKAGE
MOTA-12	6.1	15.0	16.5	4.5	13.0	2.2	M12X1.5	500
MOTA-16	8.1	19.0	20.5	4.5	13.0	2.2	M16X1.5	
MOTA-20	8.1	25.5	24.0	5.5	14.5	2.5	M20X1.5P	

NUT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: WHITE/NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CAM-12	100

NUT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	B	C	D	THREAD	PACKAGE
SMO-3	15.96	5.0	8.0	6.4	M3X0.5P	1000
SMO-4	21.58	8.0	10.1	10.0	M4X0.7P	
SMO-632	22.0	8.0	10.5	10.0	6-32 UNC	
SMO-832	21.0	8.0	10.0	10.0	8-32 UNC	

SCREW

M16



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
SPM-16	1000

SCREW



- ◆ MATERIAL: PC (UL) / NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	B	C	D	PACKAGE
M3.5-10	6.9	10.0	2.2	M3.5X0.6P	1000
M3.5-15		15.0			
M3.5-20		20.0			
M3.5-25		25.0			
M3.5-30		30.0			
S632-6	6.7	6.35	2.5	6-32 UNC	2000
S632-8		8.0			1000
S632-9		9.5			
S632-12		12.7			
S632-15		15.9			
S632-19		19.1			
S632-25		25.4			
S632-28		28.0			
S440-6	5.2	6.4	2.1	4-40 UNC	2000
S440-8		8.0			1000
S440-9		9.5			
S440-12		12.7			
S440-15		15.5			

8

SCREW



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	PACKAGE
M2-4.5F	4.5	2000
M2-5.5F	5.5	
M2-6.5F	6.5	
M2-7.5F	7.5	
M2-8.5F	8.5	

SCREW



- ◆ MATERIAL:PC (UL) / NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	A	B	C	D	PACKAGE	
M2-3	3.3	1.4	3.0	M2X0.4P	2000	
M2-4			4.0			
M2-5			5.0			
M2-6			6.0			
M2-6.5			6.5			
M2-8			8.0			
M2-10			10.0			
M2-12			12.0			
M2-15			15.0			
M2.5-6	4.3	1.5	6.0	M2.5X0.45P		2000
M2.6-4			4.0	M2.6X0.45P		
M2.6-5			5.0			
M2.6-6			6.0			
M2.6-8			8.0			
M2.6-10			10.0			
M3-4	5.5	2.1	4.0	M3X0.5P	1000	
M3-5			5.0			
M3-6			6.0			
M3-8			8.0			
M3-10			10.0			
M3-12			12.0	M3X0.5P	2000	
M3-15			15.0		1000	
M3-17			17.0			
M3-18			18.0			
M3-20			20.0			
M3-25			25.0			

PART NO	A	B	C	D	PACKAGE
M4-6	7.0	2.5	6.0	M4X0.7P	1000
M4-8			8.0		
M4-10			10.0		
M4-12			12.0		
M4-14			14.0		
M4-16			16.0		
M4-20			20.0		
M4-25			25.0		
M4-30			30.0		
M4-35			35.0		
M5-20	9.1	3.6	20.0	M5X0.8P	
R440-6	5.2	2.4	6.4	4-40 UNC	2000
R440-8			8.0		
R440-9			9.5		
R440-12			12.7		
R440-15			15.5		1000
R440-4SNV0	5.8	1.8	4.75		
R632-6	6.7	2.5	6.35	6-32 UNC	2000
R632-8			8.0		
R632-9			9.5		
R632-12			12.7		1000
R632-15			15.9		
R632-19			19.1		

SCREW



- ◆ MATERIAL:PC (UL) / NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	A	B	C	D	PACKAGE
M3-5F	5.3	1.2	4.8	M3X0.5P	1000
M3-6F	5.6	1.6	6.0	M3X0.5P	
M3-8F	5.6	1.6	8.0	M3X0.5P	
M3-10F	5.6	1.6	10.0	M3X0.5P	
M3-12F	5.6	1.6	12.0	M3X0.5P	
M3-14F	5.6	1.6	14.0	M3X0.5P	
M3-4.2FN	6.0	1.7	4.2	M3X0.5P	2000
M4-8F	7.6	2.0	8.0	M4X0.7P	1000
M4-10F	7.6	2.0	10.0	M4X0.7P	
M4-12F	7.6	2.0	12.0	M4X0.7P	
M4-14F	7.6	2.0	14.0	M4X0.7P	
M4-16F	7.6	2.0	16.0	M4X0.7P	
M4-18F	7.65	2.7	18.0	M4X0.7P	
M5-15F	9.1	9.1	14.8	M5X0.8P	

SCREW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
M4-8L	1000

SCREW



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
M6-8F	500


SCREW



- ◆ MATERIAL: PP (UL)
- ◆ FLAME CLASS: HB
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm




PART NO	PACKAGE
KSM-1A	1000




PART NO	PACKAGE
KSM-1B	1000



- ◆ MATERIAL: PE
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm



PART NO	PACKAGE
KSM4-5M	1000




PART NO	PACKAGE
KSM4-6F	1000

SCREW

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm





PART NO	PACKAGE
KSC256-8.4F	2000

SCREW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	PACKAGE
SM3-6	6.0	2000
SM3-8	8.0	
SM3-10	10.0	
SM3-12	12.0	


PART NO	A	B	PACKAGE
SM4-6	6.0	M4X0.7P	2000
SM4-8	8.0		
SM4-10	10.0		
SM4-12	12.0		
SM632-6	6.35	6-32 UNC	
SM632-8	8.0		
SM632-9	9.5		
SM632-12	12.7		

SCREW

NEW



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: CLEAR
- ◆ UNIT: mm




PART NO	PACKAGE
MUS2-10	2000

SCREW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
MI2-6	6.0	1000
MI2-8	8.0	
MI2-10	10.0	
MI2-12	12.0	

SCREW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	B	C	D	PACKAGE
MI3-5N	5.5	5.0	2.0	M3X0.5P	1000
MI3-6N	5.5	6.0	2.0	M3X0.5P	
MI3-8N	5.5	8.0	2.0	M3X0.5P	
MI3-10N	5.5	10.0	2.0	M3X0.5P	
MI3-12N	5.5	12.0	2.0	M3X0.5P	
MI4-10N	7.0	10.0	2.7	M4X0.7P	

SCREW



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: CLEAR
- ◆ UNIT: mm




PART NO	A	PACKAGE
MR4-9.5	9.5	1000
MR4-12	12.0	

SCREW




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
MRL4-3	1000

SCREW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	PACKAGE
STM3-6	6.0	2000
STM3-8	8.0	
STM3-10	10.0	
STM3-12	12.0	




PART NO	A	B	PACKAGE
STM4-6	6.0	M4X0.7P	2000
STM4-8	8.0		
STM4-10	10.0		
STM4-12	12.0		
STM632-6	6.35	6-32 UNC	
STM632-8	8.0		
STM632-9	9.5		
STM632-12	12.7		

SCREW

NEW


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
STM6-12	2000


SCREW

- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
ATFF-1	1000

SCREW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	A	B	C	THREAD	PACKAGE
SUS632	6.9	9.8	9.0	6-32 UNC	1000
SUS832	7.2	9.6	10.6	8-32 UNC	

SCREW




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	A	PACKAGE
RSUS632	5.0	1000
RSUS632-6	6.0	


PC CARD PULLER



- ◆ MATERIAL:POM (UL)
- ◆ FLAME CLASS:94HB
- ◆ COLOR:WHITE
- ◆ UNIT:mm




MOUNTING HOLE




PIN

PART NO	PACKAGE
CP-15	1000


PC CARD PULLER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm



MOUNTING HOLE




PIN

PART NO	PACKAGE
CP-20	1000

PC CARD PULLER


- ◆ MATERIAL: NYLON 66 (UL) / POM (UL)
- ◆ FLAME CLASS: 94V-2/94HB
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
CP-25	1000

PC CARD PULLER


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
CP-30	1000

PC CARD PULLER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CP-35	500

PC CARD PULLER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CP-37	250

PC CARD PULLER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ PIN MATERIAL: STEEL
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CP-38	1000

PC CARD PULLER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CP-47	500

PC CARD PULLER



- ◆ MATERIAL: NYLON 66 (UL) / POM (UL)
- ◆ FLAME CLASS: 94V-2/94HB
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CP-50	500

PC CARD PULLER



- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CP-70	1000

PC CARD PULLER



- ◆ MATERIAL: POM(UL)
- ◆ FLAME CLASS: 94HB
- ◆ PIN MATERIAL: STEEL
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CP-72	500

PC CARD PULLER

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CP-82	1000

PC CARD PULLER

NEW





- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CP-84	1000

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
CG-9A	250




CHASSIS THICKNESS 1.2mm

PART NO	PACKAGE
CG-9B	250

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm





CHASSIS THICKNESS 1.2~2.3mm

PART NO	PACKAGE
CG-9D	500

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CG-9AL	250

MOUNTING HOLES

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
CG-10A	250

MOUNTING HOLES
CHASSIS THICKNESS 1.6~2.2

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
CG-26	500


MOUNTING HOLES

PC CARD GUIDE

NEW



- ◆ MATERIAL:ABS (UL)
- ◆ FLAME CLASS:94HB/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
CG-30	500


PC CARD GUIDE



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm




PART NO	A	B	C	D	PACKAGE
CG-38	38.0	25.4	4.5	3.2	500
CG-50	50.8	38.0	4.5	3.2	
CG-50S	50.8	38.0	2.5	1.2	




PART NO	PACKAGE
CG-38L	500

8

PC CARD GUIDE





- ◆ MATERIAL:NYLON 66(UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
CG-153	100

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66(UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES
CHASSIS THICKNESS 0.8~1.2

PART NO	A	B	PACKAGE
CG-250	63.5	50.8	500
CG-300	76.2	63.5	
CG-350	88.9	76.2	
CG-400	101.6	88.9	
CG-450	114.3	101.6	200
CG-500	127.0	114.3	
CG-550	139.7	127.0	
CG-600	152.4	139.7	

PC CARD GUIDE

NEW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLES
CHASSIS THICKNESS 0.8mm

PART NO	PACKAGE
CG-63	500

PC CARD GUIDE

NEW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLES
THICKNESS 0.8~1.2

PART NO	PACKAGE
CG-110	100

PC CARD GUIDE




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLES
CHASSIS THICKNESS 1.6

PART NO	PACKAGE
CG-120	100




MOUNTING HOLES
CHASSIS THICKNESS 1.2mm

PART NO	PACKAGE
CG-191	100



MOUNTING HOLES
CHASSIS THICKNESS 1.2mm


PART NO	PACKAGE
CG-203	100



MOUNTING HOLES
CHASSIS THICKNESS 1.2mm

PART NO	PACKAGE
CG-218	100

- ◆ MATERIAL: PC (UL)
- ◆ COLOR: BLACK



MOUNTING HOLES
CHASSIS THICKNESS 1.2mm


PART NO	PACKAGE
CGF-218	100

PC CARD GUIDE

8



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




HOLE IN CHASSIS
MAX THICKNESS 2mm

PART NO	PACKAGE
CG-280	100

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLES
CHASSIS THICKNESS 0.8~1.2

PART NO	PACKAGE
CG-450S	500

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLE
PANEL THICKNESS 1.2~2.3

PART NO	PACKAGE
CG-650	500

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLES
CHASSIS THICKNESS 1.2~2.3mm

PART NO	A	B	C	D	F	PACKAGE
CG-700	4.75	6.35	4.62	177.8	152.4	100
CG-700A	4.5	5.6	4.4	177.8	152.4	
CG-750	4.57	5.71	4.47	190.5	165.1	

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
CGA-102	250

PC CARD GUIDE




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PART NO	A	B	C	PACKAGE
CGA-178	178.5	83	83	200
CGA-217	217.0	102	102	




MOUNTING HOLES
CHASSIS THICKNESS 1.2~2.0mm

PART NO	PACKAGE
CGA-203	100

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CGB-140	250

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CGS-280	100

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES
CHASSIS THICKNESS 0.8mm

PART NO	PACKAGE
CGDLA-350	250

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2 / 94V-0
- ◆ COLOR: BLACK/WHITE
- ◆ UNIT: mm




PART NO	PACKAGE
BCG-250	500

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
FR-190	500

PC CARD GUIDE




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: RED
- ◆ UNIT: mm




PART NO	PACKAGE
FR-250	500

PC CARD GUIDE







- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: RED
- ◆ UNIT: mm




PART NO	PACKAGE
FR-1300	100

CARD GUIDE


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



CHASSIS THICKNESS 1~2mm



PC MOUNTING HOLE







MOUNTING HOLE

PART NO	PACKAGE
CGH-1	500

CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm







PCB DIM.

MOUNTING HOLE
MAX. THICKNESS 2.0

PART NO	PACKAGE
CGHI-1	500

CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm






MOUNTING HOLES
THICKNESS 1.2~2.0

PART NO	PACKAGE
CGH-31	500

CARD GUIDE

NEW




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
CGH-37	1000

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	B	PACKAGE
CGH-90	77.2	89.2	200
CGH-130	118.5	130.0	100

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	PACKAGE
CGC-1	250

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS :94V-0/94V-2
- ◆ COLOR:NATURAL
- ◆ UNIT:mm



PART NO	PACKAGE
CGC-43	500

PC CARD GUIDE

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




HOLE IN CHASSIS Ø4.3
BOARD THICKNESS 1.2~2.3

PART NO	A	PACKAGE
CGB-2	2.0	2000
CGB-6	4.8	


PC CARD GUIDE

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
INTEC-1	500

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	A	B	C	D	E	F	P.C.B THICKNESS	PACKAGE
CGLA-4							1.6~1.7	500
CGLA-4(1)	38.4	20.0	9.2	6.4	3.4	3.2	1.0	
CGLA-4(2)							2.0	
CGLA-4S	40.0	20.0	8.0	6.0	3.0	3.0	1.6	
CGLA-6	51.0	38.2	9.2	6.4	3.4	3.2	1.6~1.7	250
CGLA-8							1.6~1.8	
CGLA-8(2)							1.8~2.1	
CGLA-8(8)	81.0	60.0	8.0	6.0	3.0	3.0	1.8	
CGLA-8(25)							2.5	
CGLA-9(1)	91.5	71.0					1.6~1.8	
CGLA-9(2)							1.8~2.1	


PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-0/94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
★ CGLA-10	200




PART NO	PACKAGE
CGLA-11	500

PC CARD GUIDE





- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	B	C	PACKAGE
CGL-4	38.4	20.0	2.0	500
CGL-8	81.0	60.0	2.5	250

PC CARD GUIDE


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CGA-140	100

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: BLACK/NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
CGDLA-57	500



PART NO	PACKAGE
CGDLB-57	500

PC CARD GUIDE

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




MOUNTING HOLE
P.C.B THICKNESS 1.8

PART NO	PACKAGE
CGLC-8	500

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
CGLC-30	500

PC CARD GUIDE



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CGLC-32-1
CGLC-32-2

PART NO	PACKAGE
CGLC-32	500

PC CARD GUIDE




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS : 94V-2
- ◆ COLOR: NATURAL
- ◆ UNIT: mm



PART NO	A	PACKAGE
CGLC-120	1.6~1.8	200
CGLC-120S	1.0	

PC CARD GUIDE


- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK/NATURAL
- ◆ UNIT:mm



PART NO	PACKAGE
CGLC-153	250

CARD BEZEL

- ◆ MATERIAL:ABS (UL)
- ◆ FLAME CLASS:94HB
- ◆ COLOR:BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
CRDCV-56	100