

NEW



The enclosure
for the corner


OKW
GEHÄUSE
SYSTEME

SMART-CONTROL

Idea:

- Enclosure for corners

Desired design:



Requirements

- for wall-mounted and desk-top applications
- without/with recessed control panel
- UV resistant
- accessories for alternative application wall/desk
- higher protection class

Result

- **2 sizes M and S**
- **convex or with recessed control panel**
- ASA+PC-FR with high **UV-protection**
- off-white RAL 9002
- optional sealing for **IP55**
- wall-suspension element
- desktop stand set

each 1 PCB level
in top/bottom part



EMOTIONAL BENEFIT FOR THE TARGET GROUP

WHO USES THE SMART-CONTROL?

- use of modern technology
- focused on design, but discreet
- acts rational and elaborate
- safely plays a major role

WHICH MARKET SEGEMENTS ARE USING SMART-CONTROL?

- Security and monitoring technology
- Environmental technology
- IoT/IIoT
- Gateways
- Control engineering
- Medical and laboratory technology

An enclosure for the corner

SMART-CONTROL is our first standard enclosure for easy installation in room corners. In addition, this enclosures range can be used both on an wall and on a desk at an ergonomically inclined angle. 2-part plastic enclosure with convex top part with as well as without recessed are for protecting a membrane keyboard / decoration foil.





The triangular basic shape facilitates wall applications or innovatively in 90°-inside corners or in an ergonomic anel of 45°.





Standard colour is off-white; other colours are possible on demand.

Using (UV-proof) material ASA+PC-FR and optionally available sealing (protection class IP 55), outdoor applications are possible. Stainless-steel torx screws complete this feature.

Top / bottom of SMART-CONTROL have each 2 recessed areas for easy cable bushings, e.g. for an external power supply.

A wall-suspension element or a desktop stand set can be snappe-in inside of the bottom's bottom side by means of an adapter. Moreover there are sealing and self-tapping screws (A 03 05 031) for PCB assembly in top or bottom part available as accessories.

SMART-CONTROL			
Part-no.	Description		L x W x H
B4608107	SMART-CONTROL S Material ASA+PC-FR (UL 94 V-0) RAL 9002 (off-white)		142x81x46mm
B4608207	SMART-CONTROL S with recess Material ASA+PC-FR (UL 94 V-0) RAL 9002 (off-white)		142x81x46mm
B4610021	SMART-CONTROL M Material ASA+PC-FR (UL 94 V-0) RAL 9002 (off-white)		173x101x59mm
B4610207	SMART-CONTROL M with recess Material ASA+PC-FR (UL 94 V-0) RAL 9002 (off-white)		173x101x59mm

ACCESSORIES			
Part-no.	Description		Supply
B4708920	sealing S		1 enclosure sealing for protection class IP 55
B4710920	sealing M		1 enclosure sealing for protection class IP 55
B4705907	wall-suspension element		1 wall-suspension element
B4705207	desktop stand set		1 desktop stand set with 2 non-slip feet
Important dates			
Availability		immediately	
Going live on website		19 th September 2019	



GEHÄUSE
SYSTEME

www.okw.com